

AMENDMENTS TO THE CLAIMS

The following listing of claims replaces all prior versions of the claims and all prior listings of the claims in the present application.

1. (currently amended) A device for preventing transmission of bodily fluids during sexual relations from a first person to a second person, wherein the second person is male, the device comprising:

a first part; and

a second part;

wherein the device is formed of elastic material,

wherein the first part has an inner side,

wherein at least a portion of the inner side is coated with glue to fix the device to the sexual organ of the second person, [[and]]

wherein the second part includes a material that is designed to rupture upon ejaculation of the second person, and

wherein the second part further includes a stiffer portion configured to be at least partially disposed in the urethra of the sexual organ of the second person.

2. (currently amended) The device of claim 1, wherein the ~~second part~~ comprises:

~~a stiffer portion designed to be at least partially disposed in the urethra of the sexual organ of the second person; and~~

~~a more brittle portion designed to burst upon the ejaculation of the second person, thereby enabling seminal fluid of the second person to flow through the device~~

material that is designed to rupture upon ejaculation of the second person is a membrane.

3. (currently amended) The device of claim 1, wherein the inner side is formed as a substantially flat or weakly bending disk,

~~wherein the first part has an outer circumference that is less than a circumference of a normal sized erect glans[.]]~~

wherein a middle of the first part merges into the second part, and
wherein the first part is designed to be fixed over the mouth of the urethra of the sexual organ of the second person.

4. (currently amended) The device of claim 1, ~~wherein the first part is essentially as large as a normal sized erect glans[.]]~~

wherein an end of the first part merges into the second part, and
wherein the first part is designed to be fixed over the mouth of the urethra of the sexual organ of the second person.

5. (previously presented) The device of claim 1, wherein the glue retains fastening capacity under action of normal bodily fluids, and

wherein the glue is dissolved upon application of a liquid that does not normally occur naturally in humans.

6. (previously presented) The device of claim 5, wherein the liquid is an organic solvent.

7. (previously presented) The device of claim 5, wherein the liquid is ethanol.

8. (previously presented) The device of claim 1, wherein the glue is of a two-component type,

wherein the inner side is coated with a first component that is non-adhesive,

wherein a second component is provided to be coated on a part of the sexual organ of the second person, and

wherein application of the inner side, coated with the first component, to the part of the sexual organ of the second person, coated with the second component, fixes the device to the sexual organ of the second person.

9. (new) A device for preventing transmission of bodily fluids during sexual relations from a first person to a second person, wherein the second person is male, the device comprising:

a first part; and

a second part;
wherein the device is formed of elastic material,
wherein the first part has an inner side,
wherein at least a portion of the inner side is coated with glue to fix the
device to the sexual organ of the second person, and
wherein the second part includes a membrane that is designed to
rupture upon ejaculation of the second person.

10. (new) The device of claim 9, wherein the second part further
includes:

a portion configured to be at least partially disposed in the urethra of the
sexual organ of the second person.

11. (new) The device of claim 9, wherein when the membrane ruptures,
seminal fluid of the second person can flow through the device.

12. (new) The device of claim 9, wherein the inner side is formed as a
substantially flat or weakly bending disk.

13. (new) The device of claim 9, wherein a middle of the first part
merges into the second part.

14. (new) The device of claim 13, wherein the first part is designed to be fixed over the mouth of the urethra of the sexual organ of the second person.

15. (new) The device of claim 9, wherein an end of the first part merges into the second part.

16. (new) The device of claim 15, wherein the first part is designed to be fixed over the mouth of the urethra of the sexual organ of the second person.

17. (new) The device of claim 9, wherein the glue retains fastening capacity under action of normal bodily fluids, and

wherein the glue is dissolved upon application of a liquid that does not normally occur naturally in humans.

18. (new) The device of claim 17, wherein the liquid is an organic solvent.

19. (new) The device of claim 17, wherein the liquid is ethanol.

20. (new) The device of claim 9, wherein the glue is of a two-component type,

wherein the inner side is coated with a first component that is non-adhesive,

wherein a second component is provided to be coated on a part of the sexual organ of the second person, and

wherein application of the inner side, coated with the first component, to the part of the sexual organ of the second person, coated with the second component, fixes the device to the sexual organ of the second person.